P. Sadler U.S.S.N. 10/606,469 Page 3

IN THE CLAIMS

Please **amend** claim 1 and claims 21-23 and **add** new claim 24 as shown in the Status of the Claims section, *infra*. Additions are underlined and deletions are struckthrough or enclosed between double brackets. No new matter has been added.

Claim 24 is previously presented claim 1 re-written with a further recitation that differs from the recitation in amended claim 1.

STATUS OF THE CLAIMS

- 1. (Currently Amended) A folded solar telescope suitable for safely observing an image of the sun, the telescope comprising:
- a folded telescope assembly that comprises an objective lens, at least two light folding devices, a second lens, and a projection surface;
- a telescope frame having an exterior cross-section which is a circle or polygon and in which the telescope assembly is mounted; and
- a curved support device wherein the curvature of the curved support device supports the telescope frame and permits adjustment of telescope altitude;

wherein the at least two light folding devices are structured and arranged so that said light folding devices are not all disposed along a common optic axis.

- 2. (Original) A telescope according to claim 1 wherein the light folding devices are mirrors or prisms.
- 3. (Previously Presented) A telescope according to claim 1 wherein the telescope comprises a translucent screen such that an image projected onto the translucent screen is visible from the opposite face of the screen from the objective lens, the least two light folding devices, and the second lens, and wherein the image is observable from the exterior of the telescope frame.
- 4. (Previously Presented) The folded solar telescope of claim 1 wherein the telescope frame is supported by the telescope support device such that the center of gravity of the telescope is unaffected by changing the elevation of the telescope.
- 5. (Previously Presented) A telescope according to claim 1, wherein the telescope elevation can be varied from 0° to 90°.
- 6. (Previously Presented) A telescope according to claim 1, wherein the friction between the telescope frame and the support device is sufficient to stabilize the telescope at a specified elevation.

- 7. (Previously Presented) A telescope according to claim 1, wherein the shape of the telescope frame is a regular polygon.
- 8. (Previously Presented) A telescope according to claim 1, wherein the shape of the telescope frame is an equilateral triangle.
- 9. (Previously Presented) A telescope according to claim 7 wherein the telescope support device comprises a curved surface on which the telescope frame is supported, the curvature of the telescope support device surface is defined by an arc of a circle that inscribes the polygonal shape of the telescope frame.
- 10. (Original) A telescope support device according to claim 9 wherein the arc defining the curvature of the telescope support device is a semicircle.
- 11. (Previously Presented) A telescope according to claim 4 wherein the exterior cross-section of the telescope frame is a circle which inscribes the dimensions of the folded telescope assembly.
- 12. (Original) A telescope according to claim 11 wherein the telescope support device is a cylinder with a smaller diameter than the diameter of the cylindrical telescope frame and the axis of the cylindrical telescope support device is perpendicular to the axis of the cylindrical telescope frame.
- 13. (Previously Presented) The telescope according to claim 1, wherein the telescope further comprises a telescope pointing system comprising one or more visual guides wherein the visual guides are integral to the telescope such that the axis or line defined by each guide apparatus is parallel to a line defined by the center of the objective lens and one of the light folding devices.

- 14. (Previously Presented) The telescope according to claim 13, wherein the pointing system comprises a gnomon that has a long dimension oriented parallel to the rays of light that pass through the objective lens and are folded by the light folding devices.
- 15. (Previously Presented) The telescope according to claim 13 wherein the pointing system comprises:
- a secondary aperture for admitting a small cross-sectional beam of light; and a pointing target located within the telescope such that the line defined by the pointing target and the secondary aperture is parallel to the rays of light that pass through the objective lens and strike the first mirror or prism.
- 16. (Previously Presented) The telescope according to claim 13 wherein the pointing system comprises:
- a gnomon which has a long dimension oriented parallel to the rays of light that pass through the objective lens and strike the first mirror or prism;
- a secondary aperture for admitting a small cross-sectional beam of light; and a pointing target located within the telescope such that the line defined by the pointing target and the secondary aperture is parallel to the rays of light that pass through the objective lens and strike the first mirror or prism.

17-20. (Canceled).

- 21. (Currently Amended) A folded solar telescope suitable for safely observing an image of the sun, the telescope comprising:
- a folded telescope assembly that comprises two or more light folding devices, wherein the light folding devices are mirrors or prisms;

an a telescope frame having an exterior cross-section which is a circle or polygon and in which the telescope assembly is mounted; and

a curved support device wherein the curvature of the curved support device supports the telescope frame and permits adjustment of telescope altitude.

wherein the at least two light folding devices are structured and arranged so that said light folding devices are not all disposed along a common optic axis.

- 22. (Currently Amended) The telescope according to claim 21, wherein the telescope further comprises a telescope pointing system comprising one or more visual guides wherein the visual guides are integral to the telescope such that <u>anthe</u> axis or line defined by each guide apparatus is parallel to <u>athe</u> line defined by <u>athe</u> center of the <u>objective lens and one of the light folding devicesprimary aperture and the center of the first mirror or prism for molding the light from the target.</u>
- 23. (Currently Amended) The telescope according to claim 22, wherein the pointing system comprises a gnomon or other straight reference object that has a long dimension oriented parallel to the rays of light that pass through the objective lens and are folded by the light folding devices strike the first mirror or prism;
- 24. (New) A fold ed solar telescope suitable for safely observing an image of the sun, the telescope comprising:
- a folded telescope assembly that comprises an objective lens, at least two light folding devices, a second lens, and a projection surface;
- a telescope frame having an exterior cross-section which is a circle or polygon and in which the telescope assembly is mounted; and
- a curved support device wherein the curvature of the curved support device supports the telescope frame and permits adjustment of telescope altitude;

wherein the at least two light folding devices and second lens are structured and arranged so that the image of the sun is projected on an interior surface of the telescope frame where it is observable from outside the telescope frame.